Revolutionizing Visual Collaboration Interactive Flat Panel

Follow us

0 🕜 🕞



GO WITH THE BEST

Interactive Display

Perfect 4K resolution

With four-times the resolution of Full HD, this Ultra HD 3840 x 2160 display delivers breathtaking visuals. 4K DisplayPort input is also supported for external sources. Flicker-Free technology and a Blue Light Filter come standard to help to eliminate eye strain from extended viewing periods



Technical Features

Diagonal Size	65"
Bonding Technology	Zero Bonding
 Aspect Ratio 	16:9
Response	≤8ms
 Resolution 	3840 x 2160
 Contrast Ratio 	5000:1 Dynamic, 1200:1 Static
 Brightness(cd/m2) 	350 cd/m² (±5%)
 Display Area 	1428.48 (W) X 803.52 (H) mm
► Color	16.7million color
 View Angle 	H:178° V:178°
LED Lifespan	60,000* hours

Color accuracy


Anti-glare glass







Traditional



Fluid and Natural Writing Experience

Extra fine nibs and low latency ensure every stroke of your pen feels smooth and natural. The dual-tip pen supports users to write two colors. The 20-point touch enables multiusers to write or draw at the same time using stylus or their fingers.






20-point touch allows multi-users to write, draw and mark simultaneously



Physical Features

>	Power	AC 100 ~ 240V / 60-50Hz	
>	Consumption	Max \leq 300W, Normal \leq 220W, Standby \leq 0.5W	
>	Body Material	Silver & Black Aluminium frame, Black metal cover	
►	Color	Black	
>	Temperature	Work: 0°C~50°C, Storage: -20° ~ 60°C	
►	Humidity	Work: 10% to 90%, Storage: 0 to 95% (Non Condensing)	
►	Noise	Work Noise <50dBA	
►	VESA Hole	400 x 200 mm	
>	Weight	Net Weight : 29KG Gross Weight: 38KG	
>	Package DimensionAccessories	Remote controller*1, Power Cord*1, Magnetic pen*1,Touch	
		Cable*1, instructions*1, Wall mount*1	
>	Option	Floor Stand Bracket (TROLLEY)	



Adjustable Panel Stand Move Interactive display around with ease, secure and stable.

Metalic Body Silver & Black Aluminium frame, Black metal cover

Anntena

Multi Connectivity USB3.0*2, USB2.0*1,

HDMI2.0*1, Touch USB*1,

Type-C*1, Light Sensor*1

ic at th


Dual Front Facing Speakers 2x20W


2024/04/18 Thereit

Back side Ports Multiple Connectivity Ports. USB, HDMI, Touch, VGA

A More Flexible TEACHING EXPERIENCE

Teach the way you're used to with, ,in more smarter way. Use smart features like live pictures, live videos, digital tools and smart features such as compass, timer, Shapes 2D and 3D and much more. You can import Microsoft Office and PDF files into your session then save the lesson in a variety of formats..





Sportlight

🕐 Timer

Curtain

DitScreen

Touch Resolution

Touch Accuracy

1

Ø

.0.0



Touch Type

Infra-red touch, 20 points touch (Android) 20 points (Windows) All Opaque object, such as finger, pen etc.


Touch Object

32768 x 32768px


ALL IN ONE SOLUTION

Our latest innovation complements the strengths of our device. Content sharing, device management, and time saving is a priority. For the complete ecosystem, use this device integrated tools; for an efficient interactive experience.

DISPLAY MANAGEMENT PLUS







Wireless Screen Sharing

Reverse Screen Mirroring(PC)

BROACAST Content Sharing





Google Apps Download your go-to Google Apps such as Google Sheets, Docs, and Slides! Access to these with touch functionality keeps your workflow consistent with other devices.



Videoconferencing Easily access your video conference account and start up meetings with your display app, saving time overall.



Education With so many educational games online to choose from, narrow down your search to the best apps! With touch and grade level diversity, you can't go wrong.



Business Streamline your online tools on the interactive display for a better work experience. Banging from news to

interactive display for a better work experience. Ranging from news to productivity apps, everything you need is in one place.





Technical Specifications

I CD PANFI

Diagonal Size	65" 75" 86"	OS
Bonding Technology	Zero Bonding	CPU
Aspect Ratio	16:9	GPU
Response	≤8ms	RAM
Resolution	3840 x 2160	Storage
Contrast Ratio	5000:1 Dynamic, 1200:1 Static	Optimum Re
Brightness(cd/m2)	350 cd/m² (±5%)	Support Res
Display Area	1428.48 (W) X 803.52 (H) mm	
Color	16.7million color	
View Angle	H:178° V:178°	Video Forma
LED Lifespan	60,000* hours	

ANDROID SYSTEM

PHYSICAL FEATURES

Power

Option

OS	Android 11
CPU	Amlogic T982, Cortex-A55, 1.5GHz
GPU	Mali-G52
RAM	4GB
Storage	32GB, 64GB
Optimum Resolution	3840 x 2160 @ 60 HZ
Support Resolution	3840 x 2160, 1920 x 1080, 1680 x 1050, 1600 x 1200,
	1440 x 1050, 1360 x 768, 1280 x 1024, 1280 x 768,
	1024 x 768, 832 x 624, 800 x 600, 720 x 400, 600 x 480
Video Format	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4K

MEDIA FORMAT

Audio	MP3,AAC,WMA,RM,FLAC,M4A
Video	MPEG1/2/4,AVS2 MP,H.264,H265,
	VP9,MP4,MOB,ISO,DAT,MKV,AVI,MPG,WMV
Picture	JPG, BMP, PNG

TOUCH FEATURES

Glass Hardness 9H (pencil) Glass Type 4mm Mohs 7 grade heat tempered glass explosion proof, anti glare, etc **Tracking Rate** 4m/s Scan Rate 200Hz MTF 60million touch by each points Minimum Touch Object ≥ 1MM

AC 100 ~ 240V / 60-50Hz Consumption Max ≤ 300W, Normal ≤ 220W, Standby ≤ 0.5W **Body Material** Silver & Black Aluminium frame, Black metal cover Color Black Temperature Work: 0°C~50°C, Storage: -20° ~ 60°C Humidity Work: 10% to 90%, Storage: 0 to 95% (Non Condensing) Noise Work Noise < 50dBA Product Dimension 1496.7mm x 895.2mm x 88.8mm **VESA Hole** 400 x 200 mm Weight Net Weight : 29KG Gross Weight: 38KG Package Dimension 1645mm x 1025mm x 210mm Accessories Remote controller*1, Power Cord*1, Magnetic pen*1, Touch Cable*1, instructions*1, Wall mount*1

Floor Stand Bracket (TROLLEY)

OPS PC (OPTIONAL)

CPU	Option: Core i3 / Core i5 / Core i7
Memory	Option: 4GB, 8GB, 16GB
Hard Disk	SSD 128GB~2TB or HDD 500GB~4TB
I/O Port	USB2.0*2, USB3.0*4, MIC*1, LINE OUT*1, RJ45*1, VGA*1, HDMI*1

I/O PORT

Rear Input	HDMI2.0*2, USB3.0*1, USB2.0*1, SPDIF*1, RS232*1, Touch USB*1, RJ45
	Earphone*1, Coaxial*1, 2.4G Wi-Fi*1, 2.4GHz Hotpoint*1,
	5GHz Hotspot*1, AV input*1, AV output*1, Bluetooth5.0*1.
Front Input	USB3.0*2, USB2.0*1, HDMI2.0*1, Touch USB*1, Type-C*1, Light Sensor*1

Plant Address:

Plot No. 41, Samalkha, Dist. Panipat-132103 (HR.)

Register Address:

106, D-Mall, Netaji Subhash Palace, Pitampura, New Delhi 110034



Call: 92 15 70 94 00

🔀 enquiry@limeberry.in 🌐 www.limeberry.in